



The Chemical Company

Safety Data Sheet

F200

Revision date : 2013/03/02
Version: 4.0

Page: 1/7
(30500621/SDS_GEN_US/EN)

1. Product and Company Identification

Company
BASF CORPORATION
100 Campus Drive
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP

2. Hazards Identification

Emergency overview

CAUTION:

MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.
May cause difficulty breathing.
Prolonged or repeated contact may result in dermatitis.
Contact with the eyes or skin may cause mechanical irritation.
Contains material which may indicate/cause the possibility of sensory and pulmonary irritation.
Avoid contact with the skin, eyes and clothing.
Avoid inhalation of dusts.
Use with local exhaust ventilation.
Wear a NIOSH-certified (or equivalent) particulate respirator.
Wear safety glasses with side-shields.
Wear chemical resistant protective gloves.
Wear protective clothing.
Eye wash fountains and safety showers must be easily accessible.

State of matter: solid
Colour: off-white
Odour: odourless

Potential health effects

Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion:

Not irritating to the eyes. Not irritating to the skin. Not irritating to the respiratory system. The product has not been tested. The statement has been derived from the properties of the individual components.

Potential environmental effects

Safety Data Sheet

F200

Revision date : 2013/03/02

Version: 4.0

Page: 2/7

(30500621/SDS_GEN_US/EN)

Aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Degradation / environmental fate:

Not applicable for inorganic substances.

3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
1344-28-1	94.0 - 100.0 %	Aluminum oxide

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air. If necessary, give oxygen. If not breathing, give artificial respiration. Seek medical attention if necessary.

If on skin:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists.

If in eyes:

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Immediate medical attention required.

If swallowed:

No hazards anticipated. If large quantities are ingested, seek medical advice.

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Flash point:

Non-flammable.

Self-ignition temperature:

not self-igniting

Additional information:

Use extinguishing measures to suit surroundings.

Hazards during fire-fighting:

No particular hazards known.

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

6. Accidental release measures

Personal precautions:

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with the skin, eyes and clothing. Use personal protective clothing. Information regarding personal protective measures see, chapter 8.

Safety Data Sheet

F200

Revision date : 2013/03/02

Version: 4.0

Page: 3/7

(30500621/SDS_GEN_US/EN)

Environmental precautions:

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Cleanup:

Vacuum up spilled product. Place into suitable container for disposal.

7. Handling and Storage

Handling

General advice:

Avoid dust formation in confined areas. Avoid contact with the skin, eyes and clothing. Ensure adequate ventilation.

Protection against fire and explosion:

Product is not explosive.

Storage

General advice:

Keep container tightly closed in a cool, well-ventilated place.

Storage incompatibility:

General advice: Segregate from reducing agents.

Storage stability:

Keep container dry.

8. Exposure Controls and Personal Protection

Advice on system design:

Provide local exhaust ventilation to control dust. Provide local exhaust ventilation to maintain recommended P.E.L.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) particulate respirator. Observe OSHA regulations for respirator use (29 CFR 1910.134). Wear appropriate certified respirator when exposure limits may be exceeded.

Hand protection:

Wear chemical resistant protective gloves., Consult with glove manufacturer for testing data.

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

No eating, drinking, smoking or tobacco use at the place of work.

9. Physical and Chemical Properties

Form:	solid in various forms
Odour:	odourless
Colour:	off-white

Safety Data Sheet

F200

Revision date : 2013/03/02

Version: 4.0

Page: 4/7

(30500621/SDS_GEN_US/EN)

pH value:	9.4 - 10.1
Melting point:	2,050 °C
Bulk density:	38.0 - 52 lb/ft ³
Viscosity, dynamic:	(68 °F) not applicable
Solubility in water:	insoluble

10. Stability and Reactivity

Conditions to avoid:

Avoid deposition of dust. Avoid dust formation.

Substances to avoid:

water, reducing agents

Hazardous reactions:

The product is chemically stable.
No hazardous reactions known.

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products known.

Thermal decomposition:

No decomposition if used correctly.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

11. Toxicological information

Acute toxicity

Oral:

Information on: Aluminum oxide
Type of value: LD50
Species: rat
Value: > 5,000 mg/kg (OECD Guideline 401)

Irritation / corrosion:

Skin:

Information on: Aluminum oxide
Species: rabbit
Result: non-irritant
Method: OECD Guideline 404

12. Ecological Information

Fish

Acute:

DIN 38412 Part 15 static
Leuciscus idus/LC50 (96 h): > 500 mg/l

Safety Data Sheet

F200

Revision date : 2013/03/02

Version: 4.0

Page: 5/7

(30500621/SDS_GEN_US/EN)

The product has not been tested. The statement has been derived from products of a similar structure and composition.

Information on: Aluminum oxide

Acute:

DIN 38412 Part 15 static

Leuciscus idus/LC50 (96 h): > 500 mg/l

The product has not been tested. The statement has been derived from products of a similar structure and composition.

Aquatic invertebrates

Acute:

OECD Guideline 202, part 1 static

Daphnia magna (48 h): > 100 mg/l

Information on: Aluminum oxide

Acute:

OECD Guideline 202, part 1 static

Daphnia magna (48 h): > 100 mg/l

Aquatic plants

Toxicity to aquatic plants:

OECD Guideline 201 static

green algae/No observed effect concentration (72 h): > 100 mg/l

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with local authority regulations. Check for possible recycling. Disposal requirements are dependent on the hazard classification and will vary by location and the type of disposal selected. All waste materials should be reviewed to determine the applicable hazards (testing may be necessary).

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

Safety Data Sheet

F200

Revision date : 2013/03/02

Version: 4.0

Page: 6/7

(30500621/SDS_GEN_US/EN)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

OSHA hazard category: ACGIH TLV established;

EPCRA 311/312 (Hazard categories): Acute;

EPCRA 313:

CAS Number	Chemical name
1344-28-1	Aluminum oxide

State regulations

State RTK	CAS Number	Chemical name
MA, NJ, PA	1344-28-1	Aluminum oxide

16. Other Information

NFPA Hazard codes:

Health : 1 Fire: 0 Reactivity: 0 Special:

HMIS III rating

Health: 1 Flammability: 0 Physical hazard: 0

NFPA and HMIS use a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates extreme danger. Although similar, the two rating systems are intended for different purposes, and use different criteria. The NFPA system was developed to provide an on-the-spot alert to the hazards of a material, and their severity, to emergency responders. The HMIS system was designed to communicate workplace hazard information to employees who handle hazardous chemicals.

BASF supports worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Local Contact Information

prod_reg@basf.com

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT

Safety Data Sheet

F200

Revision date : 2013/03/02

Version: 4.0

Page: 7/7

(30500621/SDS_GEN_US/EN)

THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET